

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Noxion B.V.

Supplier's address: Noxion B.V., Schootense Dreef 27, 5708 HZ Helmond, NL

Model identifier: 8719157036658

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	G13		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

Product parameters



Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	14	Energy efficiency class	D
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	1 900 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 500
On-mode power (P_{on}), expressed in W	14,0	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without separate control gear, lighting control	Height	1 212	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	1	
	Depth	28	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,313 0,337
Parameters for LED and OLED light sources:			
R9 colour rendering index value	0	Survival factor	0,90
the lumen maintenance factor	0,96		

(a) : not applicable;

(b) : not applicable;

Spectroradiometric Parameters



Chromaticity Coordinates: $x=0.3127$ $y=0.3303$ $u'=0.1974$ $v'=0.469$

Correlated Color Temperature: 6494 K

Dominant Wavelength: 489.0 nm(E)

Colour Fidelity Index: $R_f=80$

Gamut Index: $R_g=97$

Luminous Flux: 2139.87 lm

Purity: 0.0719

Chromaticity Difference: +0.00384Duv

Peak Wavelength: 450.0 nm

Color Ratio: $K_r=29.8\%$ $K_g=57.2\%$ $K_b=13.0\%$

Color Tolerance(SDCM): 4.3209

Bandwidth: 17.9nm


Radiant Flux: 6.527 W

Rendering Index: $R_a=82.3$

R1=81 R2=85 R3=87 R4=84 R5=82 R6=79 R7=87 R8=72

R9=11 R10=64 R11=84 R12=59 R13=82 R14=93 R15=77 Re=75

Model placed on the Union market from 15/06/2022



EPREL registration number: 1138521

<https://eprel.ec.europa.eu/qr/1138521>

Supplier: PICPAC B.V. (Manufacturer)

Website: www.picpac.nl

Customer care service:

Name: Noxion B.V.

Website: <https://www.noxion.com/nl/>

Email: info@noxion.com

Phone: 085 – 303 29 82

Address:

Schootense Dreef 27
5708 HZ Helmond
Netherlands